


Patient Sticker

Infant/Pediatric Lund and Browder Burn Chart



						2 nd	3 rd	
Area	Birth-1 year	1-4 years	5-9 years	10-14 years	15 years	Degree	Degree	Total
*Head	19	17	13	11	9			
Neck	2	2	2	2	2			
Anterior Trunk	13	13	13	13	13			
Posterior Trunk	13	13	13	13	13			
Right Buttock	2.5	2.5	2.5	2.5	2.5			
Left Buttock	2.5	2.5	2.5	2.5	2.5			
Genitalia	1	1	1	1	1			
Right Upper Arm	4	4	4	4	4			
Left Upper Arm	4	4	4	4	4			
Right Lower Arm	3	3	3	3	3			
Left Lower Arm	3	3	3	3	3			
Right Hand	2.5	2.5	2.5	2.5	2.5			
Left Hand	2.5	2.5	2.5	2.5	2.5			
Right Thigh	5.5	6.5	8	8.5	9			
Left Thigh	5.5	6.5	8	8.5	9			
Right Lower Leg	5	5	5.5	6	6.5			
Left Lower Leg	5	5	5.5	6	6.5			
Right Foot	3.5	3.5	3.5	3.5	3.5			
Left Foot	3.5	3.5	3.5	3.5	3.5			
Total								

M.D/D.O	Date/Time
/	

^{*}Areas of difference between the pediatric and adult population are represented by $\emph{bold italics.}$

^{*}Infants and the elderly have thinner skin; consequently, burns may be deeper and more severe than they initially appear (American Burn Association, 2018).